Listing and Amendments to the Claims

This listing of claims will replace the claims that were published in the PCT Application.

- 1. (currently amended) A system (16) for modifying video signals, the system (16) comprising:
 - at least one decoder (14) that decodes a video signal that comprises embedded picture setting data; and
 - a video processor (18) that is adapted to:
 - detect whether the system (16) is operating in an on-screen display ("OSD") mode;
 - apply the embedded picture setting data if the system (16) is not in the OSD mode; and
 - withhold the embedded picture setting data if the system (16) is in the OSD mode.
- 2. (currently amended) The system (16) set forth in claim 1, wherein the embedded picture setting data comprises screen format data.
- 3. (currently amended) The system (16) set forth in claim 1, wherein the embedded picture setting data comprises colorimetry data.
- 4. (currently amended) The system (16) set forth in claim 3, comprising a color conversion device (22) that performs a color conversion based on the colorimetry data.
- 5. (currently amended) The system (16) set forth in claim 1, comprising a display device (30) configured to display an image based on the video signal.

- 6. (currently amended) The system (16) set forth in claim 1, wherein the video processor (18) is adapted to set a flag if the system (16) is operating in the OSD mode.
- 7. (currently amended) The system (16) set forth in claim 1, wherein the system comprises a portion of a television set.
- 8. (currently amended) A method of modifying video signals, the method comprising the acts of:

decoding a video signal that comprises embedded picture setting data; detecting whether a system (16) is operating in an on-screen display ("OSD") mode;

applying the embedded picture setting data if the system (16) is not in the OSD mode; and

withholding the embedded picture setting data if the system (16) is in the OSD mode.

- 9. (original) The method set forth in claim 8, comprising the act of determining whether the embedded picture setting data comprises screen format data.
- 10. (original) The method set forth in claim 8, comprising the act of determining whether the embedded picture setting data comprises colorimetry data.
- 11. (original) The method set forth in claim 10, comprising the act of performing a color conversion based on the colorimetry data.
- 12. (original) The method set forth in claim 8, comprising the act of displaying an image based on the video signal.
- 13. (currently amended) The method set forth in claim 8, comprising the act of setting a flag if the system—(16) is operating in the OSD mode.

- 14. (currently amended) A system (16) for modifying video signals, the system (16) comprising:
 - means for decoding (14) a video signal that comprises embedded picture setting data;
 - means for detecting (18) whether the system (16) is operating in an on-screen display ("OSD") mode;
 - means for applying (18) the embedded picture setting data if the system (16) is not in the OSD mode; and
 - means for withholding (18) the embedded picture setting data if the system (16) is in the OSD mode.
- 15. (currently amended) The system (16) set forth in claim 14, wherein the embedded picture setting data comprises screen format data.
- 16. (currently amended) The system (16) set forth in claim 14, wherein the embedded picture setting data comprises colorimetry data.
- 17. (currently amended) The system (16) set forth in claim 16, comprising means for performing a color conversion (22) based on the colorimetry data.
- 18. (currently amended) The system (16) set forth in claim 14, comprising a display device (30) configured to display an image based on the video signal.
- 19. (currently amended) The system (16) set forth in claim 14, wherein the means for detecting (18) is adapted to set a flag if the system (16) is operating in the OSD mode.
- 20. (currently amended) The system (16) set forth in claim 14, wherein the system comprises a portion of a television set.